



Makes life easy





ABOUT POLAR

Every lifestyle is unique and every home tells a different story. In today's fast-paced world, it has become increasingly difficult to keep up with the plethora of tasks for everyday living. This is where Polar has made a difference and continues to do so, with its ingenious range of home appliances and heaters. A company with national repute, Polar has maintained its leading position over the decades, with efficient technological solutions for Indian households. Polar is committed to simplifying daily chores with its extensive range of home appliances and heaters. Its vast range of products, including water heaters, room heaters, immersion rods, irons, mixer grinders and kitchen appliances, have been designed to cater to the ever-evolving needs of a modern family.

MAKE EVERY DAY EFFORTLESS

A COSY BATHING EXPERIENCE





MARBELLA Storage Water Heater (Available in 10, 15 & 25 litres)



Glass Lined Metal Tank



8 Bar Pressure



Pentashield Safety



High-density PUF Insulation



Temperature Control Knob



Whirlflow Technology



Long-lasting Metal Body



Anti-corrosion Magnesium Rod



Rated Power 2000 W



Approved

- Titanium enamel & blue sapphire coated Glass Lined Metal Tank for corrosion-free, long-lasting performance
- Designed for 8 bar pressure suitable for high-rise buildings
- Magnesium anode rod with O-PRO technology enhances the life of the tank & heating element
- · High-density PUF insulation keeps the water hot for a long time
- · Whirlflow technology heats water quickly
- Pentashield safety (Capillary Thermal Cut-out/Multi-function Valve/Capillary Thermostat/Dry Heat Protection/Magnesium Anode Rod)
- High efficiency heating element
- **7 years warranty on the inner tank & 2 years warranty on the product











Storage Water Heater (Available in 10, 15 & 25 litres)



Nano Polybond-coated Robust Steel Tank



8 Bar Nickel-coated Pressure Heating Element



ated Anti-corrosion ement Magnesium Rod



corrosion Whirlflow sium Rod Technology



Shock & Corrosion Proof ABS Body



Temperature Control Knob



Rated Power 2000 W



Smart LED Indicator



) ISI Approved

- Nano polybond-coated robust steel tank ensures corrosion resistance in high temperature & pressure
- Designed for 8 bar pressure suitable for high-rise buildings
- · Nickle-coated high-efficiency heating element
- Anti-corrosion magnesium anode rod with O-PRO technology enhances the life of the tank & heating element
- · Whirlflow technology heats water quickly
- High-density PUF insulation keeps the water hot for a long time
- Pentashield safety (Capillary Thermal Cut-out/Multi-function Valve/ Capillary Thermostat/Dry Heat Protection/Magnesium Anode Rod)
- **5 years warranty on the inner tank and 2 years on the product











GUSH I

Storage Water Heater (Available in 6, 10, 15 & 25 litres)



Glass Lined Metal Tank



8 Bar Pressure



Pentashield Safety



High-density PUF Insulation



Temperature Control Knob



Whirlflow Technology



Anti-corrosion Magnesium Rod



Rated Power 2000 W



ISI Approved

- Titanium enamel & blue sapphire coated Glass Lined Metal Tank for corrosion-free, long-lasting performance
- Designed for 8 bar pressure suitable for high-rise buildings
- Magnesium anode rod with O-PRO technology enhances the life of the tank & heating element
- Whirlflow technology heats water quickly
- High-density PUF insulation keeps the water hot for a long time
- Pentashield safety (Capillary Thermal Cut-out/Multi-function Valve/Capillary Thermostat/Dry Heat Protection/Magnesium Anode Rod)
- High efficiency heating element
- **7 years warranty on the inner tank & 2 years warranty on the product









Storage Water Heater (Available in 10, 15 & 25 litres)



Long-lasting Metal Body



8 Bar Pressure



Pentashield Safety



High-density PUF Insulation



Temperature Control Knob



Whirlflow Technology



Anti-corrosion Magnesium Rod



Corrosion Proof Metal Tank



Rated Power 2000 W



ISI Approved

- Designed for 8 bar pressure suitable for high-rise buildings
- Long-lasting powder coated metal body
- · Whirlflow technology heats water quickly
- High-density PUF insulation keeps the water hot for a long time
- Magnesium anode rod with O-PRO technology enhances the life of the tank & heating element
- Pentashield safety (Capillary Thermal Cut-out/Multi-function Valve/Capillary Thermostat/Dry Heat Protection/Magnesium Anode Rod)
- High efficiency heating element
- **5 years warranty on the inner tank & 2 years warranty on the product











FRESHET Storage Water Heater (Available in 6, 10, 15 & 25 litres)



Glass Lined Metal Tank



8 Bar Pressure



Pentashield Safety



High-density PUF Insulation



Temperature Control Knob



Analogue Temperature Display



Shock & Corrosion **Proof ABS Body**



Anti-corrosion Magnesium Rod



Rated Power 2000 W



Approved

- Titanium enamel & blue sapphire coated Glass Lined Metal Tank for corrosion-free, long-lasting performance
- Designed for 8 bar pressure suitable for high-rise buildings
- Magnesium anode rod with O-PRO technology enhances the life of the tank & heating element
- · Whirlflow technology heats water quickly
- High-density PUF insulation keeps the water hot for a long time
- Pentashield safety (Capillary Thermal Cut-out/Multi-function Valve/Capillary Thermostat/Dry Heat Protection/Magnesium Anode Rod)
- · High efficiency heating element
- **7 years warranty on the inner tank & 2 years warranty on the product

7 YEARS**
WARRANTY







LEGACY+

Storage Water Heater (Available in 6, 10, 15 & 25 litres)



Glass Lined Metal Tank



8 Bar Pressure



Pentashield Safety



High-density PUF Insulation



High Efficiency Heating Element



Whirlflow Technology



Shock & Corrosion Proof ABS Body



Anti-corrosion Magnesium Rod



Rated Power 2000 W



ISI Approved

- Titanium enamel & blue sapphire coated Glass Lined Metal Tank for corrosion-free, long-lasting performance
- Designed for 8 bar pressure suitable for high-rise buildings
- Magnesium anode rod with O-PRO technology enhances the life of the tank & heating element
- Whirlflow technology heats water quickly
- High-density PUF insulation keeps the water hot for a long time
- Pentashield safety (Thermal Cut-out/Multi-function Valve/ Thermostat/Dry Heat Protection/Magnesium Anode Rod)
- 15 & 25 litres are available in horizontal and vertical variants
- **7 years warranty on the inner tank & 2 years warranty on the product











Storage Water Heater (Available in 10, 15 & 25 litres)



Long-lasting Powder Coated Metal Body



8 Bar Pressure



Pentashield Safety



High-density PUF Insulation



High Efficiency Heating Element



Whirlflow Technology



Corrosion Proof Metal Tank



Rated Power 2000 W



ISI Approved

- Designed for 8 bar pressure suitable for high-rise buildings
- Magnesium anode rod with O-PRO technology enhances the life of the tank & heating element
- High-density PUF insulation keeps the water hot for a long time
- Whirlflow technology heats water quickly
- Pentashield safety (Thermal Cut-out/Multi-function Valve/ Thermostat/Dry Heat Protection/Magnesium Anode Rod)
- *5 years warranty on the inner tank & 2 years warranty on the product









AQUAHOT | Storage Water Heater (Available in 6, 10, 15, 25, 35 & 50 litres)



Heavy Gauge Stainless Steel Tank



6 Bar Pressure



High-density PUF Insulation



Long-lasting Metal Body



Magnesium Anode Rod



Rated Power 2000 W




ISI Approved

- Heavy gauge stainless steel (SS304L) tank for longer life
- Designed for 6 bar pressure
- High-density insulation keeps the water hot for a long time
- · Metal body with corrosion resistant paint
- Unique safety features pressure release valve and anti-siphon hole
- High efficiency heating element
- 3-star rated as per BEE standards (*2-star rated for 35 & 50 litres)
- **5 years warranty on the inner tank & 2 years warranty on the product







REFRESHA PRO

Instant Water Heater (Available in 3 & 5 litres)



Ultra Thick Stainless Steel Tank



Pentashield Safety



Neon Indicator



Shock-proof & Corrosion Resistant Body



Pressure Release Valve



Rated Power 3000/4500 W



ISI Approved

- Ultra thick superior 304 grade SS tank with 1.0 mm (5 L) thickness for durability
- Pressure release valve & anti-siphon hole
- ISI approved heating element & thermostat
- High efficiency 3000/4500 W heating element
- *5 years warranty on the inner tank & 2 years warranty on the product

5 YEARS* WARRANTY





Instant Water Heater (Available in 3 & 5 litres)



Ultra Thick Stainless Steel Tank



Pentashield Safety



Neon Indicator



Shock-proof & Corrosion Resistant Body



Pressure Release Valve



Rated Power 3000 W



ISI Approved

- Ultra thick superior 304 grade SS tank with 1.0 mm (5 L) thickness for durability
- ISI approved element & thermostat
- Pressure release valve & anti-siphon hole
- High efficiency 3000 W heating element
- *5 years warranty on the inner tank & 2 years warranty on the product







INSTAHOT — 6L | Gas Water Heater



Protection



Automatic Ignition



20 Minutes Inbuilt Timer



Capacity up to 6 L



Low Pressure Application



Approved

- 4X protection (Flame Failure Protection/Dry Burn Protection/ Overheat Protection/Dry Heat Protection)
- Low pressure application 3PSI

2 YEARS WARRANTY



IMMERSION

Electric Immersion Water Heater



Heavy-duty Copper Tube



Rated Power 1000/1500 W



Corrosion Proof



Shock-proof Model



3-pin Cord



ISI Approved 3-core Supply Cord

- Heavy-duty copper tube filled with magnesium oxide for durability
- ISI approved 3-core supply cord with moulded 3-pin plug



PREPARE DELICACIES WITH EASE



MIXER GRINDER



GALAXY |

Mixer Grinder



3-speed Control



30 Minutes Rating



Food Grade Transparent & SS Jars



Rated Power 900 W



Shock-proof ABS Body



Auto Shut-off



Skid Resistant



Powerful 100% Copper Motor



Stainless Steel Multi-purpose Blades



ISI Approved

- 3-speed control with pulser incher
- 30 minutes rating (3 minutes ON & 2 minutes OFF)
- Auto shut-off with overload protector
- High-grade stainless steel multi-purpose blades
- Genuine food grade & shock-proof ABS body
- Transparent polycarbonate blending jars & stainless steel jars* with dome and cap
- Skid resistant vacuum legs
- Speed 19000 RPM
- **5 years warranty on the motor & 2 years warranty on the product
 *Liquidising Jar 1500 ml, Dry Grinding Jar 1000 ml, Chutney Jar 400 ml

5 YEARS** WARRANTY



MARVEL

Mixer Grinder



3-speed Control



30 Minutes Rating



Food Grade SS Jars



Rated Power 750 W



Shock-proof ABS Body



Auto Shut-off



Skid Resistant



Powerful 100% Copper Motor



Stainless Steel Multi-purpose Blades



ISI Approved

- 3-speed control with incher
- 30 minutes rating (3 minutes ON & 2 minutes OFF)
- Auto shut-off with overload protector
- Food grade & shock-proof ABS body
- Stainless steel jars* and PC dome with buckle clips for secured locks & handsfree operation
- **5 years warranty on the motor & 2 years warranty on the product
 *Liquidising Jar 1500 ml, Dry Grinding Jar 1000 ml, Chutney Jar 400 ml





MIXO 750

Mixer Grinder







30 Minutes Rating



Food Grade SS Jars



Rated Power 750 W



Shock-proof ABS Body



Auto Shut-off



Skid Resistant



Powerful 100% Copper Motor



Stainless Steel Multi-purpose Blades



ISI Approved

- 3-speed control with incher
- 30 minutes rating (3 minutes ON & 2 minutes OFF)
- Auto shut-off with overload protector
- Food grade & shock-proof ABS body
- Stainless steel jars* with transparent PC dome (secure lock for liquid jar)
- **5 years warranty on the motor & 2 years warranty on the product
 *Liquidising Jar (secure lock) 1500 ml, Dry Grinding Jar 1000 ml, Chutney Jar 400 ml





MIXO 500

Mixer Grinder



3-speed Control



30 Minutes Rating



Food Grade SS Jars



Shock-proof ABS Body



Auto Shut-off



Skid Resistant



Powerful 100% Copper Motor



Stainless Steel Multi-purpose Blades



ISI Approved

- 3-speed control with incher
- Rated power 500 W
- 30 minutes rating (3 minutes ON & 2 minutes OFF)
- · Auto shut-off with overload protector
- Food grade & shock-proof ABS body
- Stainless steel jars* with lid
- **5 years warranty on the motor & 2 years warranty on the product *Liquidising Jar — 1250 ml, Dry Grinding Jar — 800 ml, Chutney Jar — 400 ml

5 YEARS** WARRANTY



ULTRA MIX

Mixer Grinder



3-speed Control



30 Minutes Rating



Food Grade SS Jars



Advance Air Ventilation System



Shock-proof ABS Body



Auto Shut-off



Skid Resistant



Powerful 100% Copper Motor



Stainless Steel Multi-purpose Blades



ISI Approved

- 3-speed control with incher
- Rated power 500 W
- 30 minutes rating (3 minutes ON & 2 minutes OFF)
- Auto shut-off with overload protector
- Food grade & shock-proof ABS body
- Stainless steel jars*
- **5 years warranty on the motor & 2 years warranty on the product *Liquidising Jar — 1250 ml, Dry Grinding Jar — 800 ml, Chutney Jar — 400 ml

5 YEARS** WARRANTY



MONARCH 500

Mixer Grinder



3-speed Control



30 Minutes Rating



Food Grade SS Jars



Shock-proof ABS Body



High-speed Universal Motor



Auto Shut-off



Skid Resistant



ISI Approved

- 3-speed control with incher
- Rated power 500 W
- 30 minutes rating (3 minutes ON & 2 minutes OFF)
- Auto shut-off with overload protector
- Food grade (SS304) stainless steel jars* with lid
- Anti-skid vacuum feet

*Liquidising Jar – 1250 ml, Dry Grinding Jar – 800 ml, Chutney Jar – 400 ml

3 YEARS WARRANTY



SPYDER 500

Mixer Grinder



3-speed Control



30 Minutes Rating



Food Grade SS Jars



Shock-proof ABS Body



Auto Shut-off



Skid Resistant



Powerful Universal Motor



Stainless Steel Multi-purpose Blades



ISI Approved

- 3-speed control with incher
- Rated power 500 W
- 30 minutes rating (3 minutes ON & 2 minutes OFF)
- Auto shut-off with overload protector
- Food grade & shock-proof ABS body
- Stainless steel jars* with lid
 - *Liquidising Jar 1250 ml, Dry Grinding Jar 800 ml, Chutney Jar 400 ml

2 YEARS WARRANTY



WINMIX |

Mixer Grinder



3-speed Control



30 Minutes Rating



Food Grade SS Jars



Auto Shut-off



Anti-skid Vacuum Feet



High-speed Universal Motor



Stainless Steel Multi-purpose Blades



ISI Approved

- 3-speed control with incher
- 19000 RPM & 500 W high-speed universal motor
- 30 minutes rating (3 minutes ON & 2 minutes OFF)
- Auto shut-off with overload protector
- Food grade stainless steel jars* with lid
- **5 years warranty on the motor & 2 years warranty on the product
 *Liquidising Jar 1200 ml, Dry Grinding Jar 750 ml, Chutney Jar 350 ml







GALAXY

Juicer Mixer Grinder



30 Minutes Rating



Shock-proof ABS Body



Auto Shut-off



Powerful Motor



Anti-skid Vacuum Feet



Stainless Steel Blades (SS304)



ISI Approved

- 3-speed control with incher
- 30 minutes rating (3 minutes ON & 2 minutes OFF)
- Auto shut-off with overload protector
- Food grade & shock-proof ABS body
- Transparent liquidising jar (1.5 L)
- Stainless steel grinding jar (0.8 L)
- Rated power 500 W

2 YEARS WARRANTY

SATISFY YOUR CRAVINGS WITH A QUICK BREW





GALAXY 1.5 SS

Electric Kettle







Cord Storage Facility



360° Cordless Operation



Pull Open Lid



Auto Shut-off Function



Stainless Steel Body



Capacity 1.5 L

- Stylish design
- Rated power 1500 W
- Corrosion proof stainless steel body

1 YEAR WARRANTY

GALAXY 1.8 SS

Electric Kettle



Neon ON Indicator



Cord Storage Facility



360° Cordless Operation



Pull Open Lid



Auto Shut-off Function



Stainless Steel Body



Capacity 1.8 L

- Stylish design
- Rated power 1500 W
- Corrosion proof stainless steel body



UPGRADE YOUR CULINARY SKILLS IN STYLE





CM 11 |

Induction Cooker



LED Digital Display



Overheat Protection



Push Button Control



Child Safety Lock



Auto Safety Shut-off



Multiple Heat Settings



Rated Power 1600 W



ISI Approved

- Automatic voltage regulator
- · Quick heating
- 7 preset menu

CM 12

Induction Cooker



Digital Timer Control



Overheat Protection



Touch Button Control



Fully Aut Polished S Glass Top



Auto Safety Shut-off



Multiple Heat Settings



Rated Power 2000 W



ISI Approved





- Quick heating
- 8 preset menu









SMART COOK SC-01

Infrared Cooker







3 Preset Functions



Overheat Protection



Extra Wide Cooking Surface



Temperature Control Knob



4-digit Bright LED Display



Easy to Feather
Clean Touch Control



Use All Kinds of Flat Utensils



Sturdy Stainless Steel Body & Handle



High-temperature Resisting Crystal Plate



Versatile Cooking Solution



Rated Power 2000 W

- 3 preset functions
- · 4-digit bright LED display
- Sturdy stainless steel body & handle

SMART COOK SC-021

Infrared Cooker



3-hour Smart Timer



4 Preset **Functions**



Overheat Protection



Temperature Cooking Surface Control Knob



4-digit Bright LED Display



Easy to Clean



Feather Touch Control



Extra Wide

Use All Kinds of Flat Utensils



Sturdy Stainless Steel Body & Handle



High-temperature Resisting Crystal Plate



Versatile Cooking Solution



Rated Power 2000 W





- 4-digit bright LED display
- Sturdy stainless steel body & handle









1000H1

Electric Dry Iron



Heavyweight (1.5 Kg)



Non-stick PTFE Coated Soleplate



Multiple Temperature Settings



360° Swivel Cord



Thermostat with Safety Fuse



Rated Power 1000 W



ISI Approved

- Bimetallic thermostat for automatic temperature control
- · Cool touch handle with comfortable grip
- Super clean surface finish with pleasant aesthetics
- · Ideal for heavy-duty pressing
- Multiple temperature settings for different fabrics





1000P6 |

Electric Dry Iron



Ultra Lightweight



Non-stick PTFE Coated Soleplate



Multiple Temperature Settings



360° Swivel Cord



Thermostat with Safety Fuse



Rated Power 1000 W



ISI Approved

- Ergonomic design with bi-colour combo
- Instant heating & powerful performance
- Bimetallic thermostat for automatic temperature control
- Reliable snap-action thermostat
- Multiple temperature settings for different fabrics
- Ultra lightweight cool touch body



1000P7 |

Electric Dry Iron



Ultra Lightweight



Non-stick PTFE Coated Soleplate



Multiple Temperature Settings



360° Swivel Cord



Thermostat with Safety Fuse



Rated Power 1000 W



ISI Approved

- Ergonomic design with bi-colour combo
- Instant heating & powerful performance
- Bimetallic thermostat for automatic temperature control
- Reliable snap-action thermostat
- Multiple temperature settings for different fabrics
- Ultra lightweight cool touch body



1000M7

Electric Dry Iron



Heavy-duty Lightweight



Non-stick PTFE Coated Soleplate



Multiple Temperature Settings



360° Swivel Cord



Thermostat with Safety Fuse



Rated Power 1000 W



ISI Approved

- Heavy-duty lightweight metal body
- Bimetallic thermostat for automatic temperature control
- Cool touch handle with comfortable grip
- Super clean surface finish with pleasant aesthetics & tangle-free cord
- Multiple temperature settings for different fabrics



750M2 |

Electric Dry Iron



Heavy-duty Lightweight



Non-stick PTFE Coated Soleplate



Multiple Temperature Settings



360° Swivel Cord



Thermostat with Safety Fuse



Rated Power 750 W



ISI Approved

- Heavy-duty lightweight metal body
- Bimetallic thermostat for automatic temperature control
- Cool touch handle with comfortable grip
- Super clean surface finish with pleasant aesthetics & tangle-free cord
- Multiple temperature settings for different fabrics

PUT TOGETHER
A MOUTHWATERING
SNACK
INSTANTLY







Non-stick Heating Plate



Deeper Pockets



Overheat Protection



Broad Hand Lock



Dual LED Indicators



Rated Power 750 W



ISI Approved

- Non-stick heating plate for oil free toasting
- Powerful performance & faster heating with 750 W rated power
- Deeper pockets for extra filling in every sandwich
- Heat-resistant bakelite body for cool touch operation
- Overheat protection with thermal fuse
- Broad hand lock for easy & comfortable locking
- Dual LED indicators for easy & convenient usage





COMFORT |

Halogen Heater



3 Halogen Heating Elements



Rust-free Stainless Steel Reflector



3 Heat Settings



Safety Mesh Grille



Wider Base for Better Stability



Wider Angle Oscillation



Long-lasting Uniform Heating



Heat-resistant Plastic Body



Safety Tip-over Switch




ISI Approved

- · Very elegant look with a wide base
- Cool touch body
- 3 heat settings 400/800/1200 W
- Rated power 400/800/1200 W



Comfort





LAVA

Quartz Heater







Rust-free Stainless Steel Reflector



Safety Mesh Grille



Dual Heating Power Settings



Long-lasting Uniform Heating



Heat-resistant Plastic Body



Safety Tip-over Switch



Rated Power 400/800 W



ISI Approved

- Highly efficient quartz tube heating element
- Slim & sleek design
- Dual heating power settings 400 W & 800 W



HOTWAVE

Quartz Heater







Rust-free Stainless Steel Reflector



Heat-resistant Plastic Body



Safety Mesh Grille



Cool Touch Body



Dual Heating Power Settings



Easy to Carry



Safety Tip-over Switch



Rated Power 400/800 W



Approved

- Highly efficient quartz tube heating element
- Slim & sleek design
- Dual heating power settings 400 W & 800 W



LAVA+

Quartz Heater







Rust-free Stainless Steel Reflector



Safety Mesh Grille



Cool Touch Body



Dual Heating Power Settings



Long-lasting Uniform Heating



Heat-resistant Plastic Body



Safety Tip-over Switch



Rated Power 400/800 W

ISI Approved

- Highly efficient quartz tube heating element
- Slim & sleek design
- Dual heating power settings 400 W & 800 W



VISTRON |

Heat Convector



Dual Heating Positions



Twin Turbo Fans



Safety Thermal Cut-out



Cool Touch Handle for Easy Movement



Temperature Control



Adjustable Height



Rated Power 1000/2000 W



Approved

- Modern & sleek design
- Dual heating positions for better heating low (1000 W) & high (2000 W)
- Sturdy body
- Night lamp indicator
- Twin turbo fans for uniform heating



LAVA

Fan Heater



Two Heat Positions



Safety Thermal Cut-out



Cool Airflow



Heat-resistant Plastic Body



Rated Power 1000/2000 W



ISI Approved

- Two heat positions for better heating
- · Cool airflow for summer use
- Pilot light
- Portable design
- · Childproof grille
- Heat-resistant & shock-proof plastic body



GLEAM |

Ceramic Heater



Anti-corrosion Powder Coated Body



Nickel Chrome Plated Mesh Guard



Rust-free Stainless Steel Reflector



Quick & Efficient Heating



Rated Power 1000 W



ISI Approved

- Compact & stylish design
- Energy-efficient

PLUG IN YOUR ELECTRONICS WITHOUT MOVING AN INCH





EXTENSION REEL



Universal Connector Port



Master Switch with LED Indicator



360° Smooth Rotation



Rated Power 1500 VA



4 Metres Long High-quality Cable

• 4 metres long high-quality cable for extended reach



SURGE PROTECTOR



Universal Connector Port



Single Power Switch



LED Indicator



Rated Power 1500 VA



High-quality Cable



Heat-resistant Body




Voltage Fluctuation Protector

- Manages load up to 1.5 kW
- Cord length variants 1.5, 2 & 2.5 metres

INSTALLATION DIAGRAM WATER HEATER

Aquahot

*Mounting Dimension's Tolerance is ± 1%




Mounting Dimensions

Model	Capacity	Mounting	Mounting dimensions in mm			
			Α	В	С	D
Aquahot	6 L	Vertical	195	130	325	255
	10 L	Vertical	195	175	375	255
	15 L	Vertical	215	215	405	305
	25 L	Vertical	215	220	450	355
	35 L	Vertical	285	260	500	380
	50 L	Vertical	290	385	620	420

Gush & Marbella

*Mounting Dimension's Tolerance is ± 1%




Mounting Dimensions

Model	Capacity	Mounting	Mounting dimensions in mm		
			Α	В	С
Gush	6 L	Vertical	75	175	324
	10 L	Vertical	80	175	333
	15 L	Vertical	156	175	433
	25 L	Vertical	122	175	496
Marbella	10 L	Vertical	165	175	480
	15 L	Vertical	190	175	495
	25 L	Vertical	185	175	535

INSTALLATION DIAGRAM WATER HEATER

Lava

*Mounting Dimension's Tolerance is ± 1%




Mounting Dimensions

Model	Capacity	Mounting	Mounting dimensions in mm		
			Α	В	С
Lava	10 L	Vertical	80	175	333
	15 L	Vertical	156	175	433
	25 L	Vertical	122	175	496

Lava+

*Mounting Dimension's Tolerance is ± 1%




Mounting Dimensions


Model	Capacity	Mounting	Mounting dimensions in mm		
			Α	В	С
Lava+	10 L	Vertical	80	175	333
	15 L	Vertical	156	175	433
	25 L	Vertical	122	175	496

INSTALLATION DIAGRAM WATER HEATER

Legacy+

*Mounting Dimension's Tolerance is ± 1%






Leagcy+ Horizontal

Mounting Dimensions

Model	Capacity	Mounting	Mounting dimensions in mm		
			Α	В	С
Leagcy+	6 L	Vertical	150	222	415
	10 L	Vertical	150	222	475
	15 L	Vertical	190	222	550
	25 L	Vertical	220	222	600
	15 L	Horizontal	240	180	320
	25 L	Horizontal	240	215	370

Freshet

*Mounting Dimension's Tolerance is ± 1%



Mounting Dimensions

Model	Capacity	Mounting	Mounting dimensions in mm		
			Α	В	С
Freshet	6 L	Vertical	150	175	355
	10 L	Vertical	200	180	500
	15 L	Vertical	185	180	510
	25 L	Vertical	185	180	580

BRANCHES

SOUTH

Chennai +91 89398 96009, bmmds@polarelectric.in | Madurai +91 72990 33418, bmmad@polarelectric.in | Kochi +91 62922 59196, bmcoc@polarelectric.in | Bengaluru +91 91471 05489, bmbng@polarelectric.in | Vijayawada +91 76050 83472, bmvij@polarelectric.in | Hyderabad 90739 55030, bmhyd@polarelectric.in

EAST

Kolkata +91 62922 59198, bmkol@polarelectric.in | Bhubaneswar +91 90739 54614, bmbbs@polarelectric.in Guwahati +91 90739 54651, bmguw@polarelectric.in | Patna +91 62923 11682, bmptn@polarelectric.in Ranchi +91 62923 05911, bmran@polarelectric.in

NORTH

Delhi +91 90739 54778, bmdel@polarelectric.in | Chandigarh (0172) 507 7258/90739 54765, bmchd@polarelectric.in

Jaipur (0141) 403 6715/90510 56567, bmjpr@polarelectric.in | Kanpur +91 90739 54616, bmknp@polarelectric.in

Ghaziabad +91 62923 17385, bmgzb@polarelectric.in | Dehradun +91 62922 65331, bmddn@polarelectric.in

Varanasi +91 62922 97887, bmvns@polarelectric.in

WEST & CENTRAL

Mumbai (02522) 661 973/90739 55042, bmmum@polarelectric.in | Ahmedabad +91 76040 35557, bmahm@polarelectric.in | Indore +91 91471 32821, bmind@polarelectric.in | Raipur +91 90739 54648, bmrpr@polarelectric.in

VISHVA ELECTROTECH LTD.

CIN: U31501WB2009PLC132426 (Licensed user of POLAR Trade Mark)
Regd. Off.: Unit No. 8B & 8C, 8th Floor, 23 Circus Avenue, Kolkata 700 017, West Bengal, India



© (033) 6629 1829

□ customercare@polarelectric.in | info@polarelectric.in

www.polarelectric.in

www.facebook.com/PolarIndia

